

DT-16C-X

PINOUT DIAGRAM

OPTICAL PORT STATUS INDICATORS

1. POWER (GREEN)
2. NA

STATUS INDICATORS

1. TX CARRIER (GREEN)/ERROR (RED)

DATA INPUT (PORT 2)

(HD-15 FEMALE)

1. (CH.1) INPUT
2. (CH.2) INPUT
3. (CH.3) INPUT
4. (CH.4) INPUT
5. GND
6. (CH.5) INPUT
7. (CH.6) INPUT
8. (CH.7) INPUT
- 9.-15. NA

DATA INPUT (PORT 3)


(HD-15 FEMALE)

1. (CH.8) INPUT
2. (CH.9) INPUT
3. (CH.10) INPUT
4. (CH.11) INPUT
5. GND
6. (CH.12) INPUT
7. (CH.13) INPUT
8. (CH.14) INPUT
- 9.-15. NA

DATA INPUT (PORT 4)

(HD-15 FEMALE)

1. (CH.15) INPUT
2. (CH.16) INPUT
3. NA
4. NA
5. GND
- 6.-15. NA



STATUS INDICATORS (PORT 2)

1. (CH.1) INPUT PRESENT
2. (CH.2) INPUT PRESENT
3. (CH.3) INPUT PRESENT
4. (CH.4) INPUT PRESENT
5. (CH.5) INPUT PRESENT
6. (CH.6) INPUT PRESENT
7. (CH.7) INPUT PRESENT
8. NA

STATUS INDICATORS (PORT 3)

1. (CH.8) INPUT PRESENT
2. (CH.9) INPUT PRESENT
3. (CH.10) INPUT PRESENT
4. (CH.11) INPUT PRESENT
5. (CH.12) INPUT PRESENT
6. (CH.13) INPUT PRESENT
7. (CH.14) INPUT PRESENT
8. NA

STATUS INDICATORS (PORT 4)

1. (CH.15) INPUT PRESENT
2. (CH.16) INPUT PRESENT
3. NA
4. NA
5. NA
6. NA
7. NA
8. NA

DR-16C-X

PINOUT DIAGRAM

STATUS INDICATORS

1. POWER (GREEN)
2. NA

STATUS INDICATORS

1. NA

DATA OUTPUT (PORT 2)

(HD-15 FEMALE)

1. (CH.1) OUTPUT
2. (CH.1) OUTPUT
3. (CH.2) OUTPUT
4. (CH.2) OUTPUT
5. GND
6. (CH.3) OUTPUT
7. (CH.3) OUTPUT
8. (CH.4) OUTPUT
9. (CH.4) OUTPUT
10. (CH.5) OUTPUT
11. (CH.5) OUTPUT
12. (CH.6) OUTPUT
13. (CH.6) OUTPUT
14. (CH.7) OUTPUT
15. (CH.7) OUTPUT

DATA OUTPUT (PORT 3)


(HD-15 FEMALE)

1. (CH.8) OUTPUT
2. (CH.8) OUTPUT
3. (CH.9) OUTPUT
4. (CH.9) OUTPUT
5. GND
6. (CH.10) OUTPUT
7. (CH.10) OUTPUT
8. (CH.11) OUTPUT
9. (CH.11) OUTPUT
10. (CH.12) OUTPUT
11. (CH.12) OUTPUT
12. (CH.13) OUTPUT
13. (CH.13) OUTPUT
14. (CH.14) OUTPUT
15. (CH.14) OUTPUT

DATA OUTPUT (PORT 4)

(HD-15 FEMALE)

1. (CH.15) OUTPUT
2. (CH.15) OUTPUT
3. (CH.16) OUTPUT
4. (CH.16) OUTPUT
5. GND
- 6.-15. NA



OPTICAL PORT

STATUS INDICATORS

1. OPTICAL SIGNAL (GREEN)/ABSENT (RED)
2. NA
3. RX CARRIER (GREEN)/ERROR (RED)

STATUS INDICATORS (PORT 2)

1. (CH.1) OUTPUT PRESENT
2. (CH.2) OUTPUT PRESENT
3. (CH.3) OUTPUT PRESENT
4. (CH.4) OUTPUT PRESENT
5. (CH.5) OUTPUT PRESENT
6. (CH.6) OUTPUT PRESENT
7. (CH.7) OUTPUT PRESENT
8. NA

STATUS INDICATORS (PORT 3)

1. (CH.8) OUTPUT PRESENT
2. (CH.9) OUTPUT PRESENT
3. (CH.10) OUTPUT PRESENT
4. (CH.11) OUTPUT PRESENT
5. (CH.12) OUTPUT PRESENT
6. (CH.13) OUTPUT PRESENT
7. (CH.14) OUTPUT PRESENT
8. NA

STATUS INDICATORS (PORT 4)

1. (CH.15) OUTPUT PRESENT
2. (CH.16) OUTPUT PRESENT
3. NA
4. NA
5. NA
6. NA
7. NA
8. NA