


DXA-2V(W)2D2J/2V(W)2D2J-X

PINOUT DIAGRAM

- OPTICAL PORT**
- STATUS INDICATORS**
1. POWER (GREEN)
 2. NA
- STATUS INDICATORS**
1. TX CARRIER (GREEN)/ERROR (RED)
- VIDEO INPUT (CH.1)**
- STATUS INDICATORS**
1. SYNC PRESENT (GREEN)
 2. VIDEO PRESENT (GREEN)/OVERLOAD (RED)
- VIDEO OUTPUT (CH.3)**
- STATUS INDICATORS**
1. SYNC PRESENT (GREEN)
 2. VIDEO PRESENT (GREEN)/OVERLOAD (RED)
- DATA RS232 IN/OUT (PORT 3)**
(DB-9 FEMALE)
1. NA
 2. (CH.1) OUTPUT (TD)
 3. (CH.1) INPUT (RD)
 4. (CH.2) INPUT (DTR)
 5. GND
 6. (CH.2) OUTPUT (DSR)
 7. NA
 8. NA
 9. NA
- DATA RS485 IN/OUT (PORT 4)**
(DB-9 FEMALE)
1. (CH.1) INPUT/OUTPUT +
 2. (CH.1) INPUT/OUTPUT -
 3. (CH.2) INPUT/OUTPUT +
 4. (CH.2) INPUT/OUTPUT -
 5. GND
 6. NA
 7. NA
 8. NA
 9. NA




*V-8 BIT VIDEO
*W-10 BIT VIDEO

- OPTICAL PORT**
- STATUS INDICATORS**
1. RX OPTICAL SIGNAL (GREEN)/ABSENT (RED)
 2. NA
 3. RX CARRIER (GREEN)/ERROR (RED)
- VIDEO INPUT (CH.2)**
- STATUS INDICATORS**
1. SYNC PRESENT (GREEN)
 2. VIDEO PRESENT (GREEN)/OVERLOAD (RED)
- VIDEO OUTPUT (CH.4)**
- STATUS INDICATORS**
1. SYNC PRESENT (GREEN)
 2. VIDEO PRESENT (GREEN)/OVERLOAD (RED)
- STATUS INDICATORS (PORT 3)**
1. (CH.1) DATA INPUT
 2. (CH.1) DATA OUTPUT
 3. (CH.2) DATA INPUT
 4. (CH.2) DATA OUTPUT
 5. NA
 6. NA
 7. NA
 8. NA
- STATUS INDICATORS (PORT 4)**
1. (CH.1) DATA INPUT
 2. (CH.1) DATA OUTPUT
 3. (CH.2) DATA INPUT
 4. (CH.2) DATA OUTPUT
 5. NA
 6. NA
 7. NA
 8. NA

DXB-2V(W)2D2J/2V(W)2D2J-X

PINOUT DIAGRAM

- OPTICAL PORT**
- STATUS INDICATORS**
1. POWER (GREEN)
 2. NA
- STATUS INDICATORS**
1. TX CARRIER (GREEN)/ERROR (RED)
- VIDEO OUTPUT (CH.1)**
- STATUS INDICATORS**
1. SYNC PRESENT (GREEN)
 2. VIDEO PRESENT (GREEN)/OVERLOAD (RED)
- VIDEO INPUT (CH.3)**
- STATUS INDICATORS**
1. SYNC PRESENT (GREEN)
 2. VIDEO PRESENT (GREEN)/OVERLOAD (RED)
- DATA RS232 IN/OUT (PORT 3)**
(DB-9 FEMALE)
1. NA
 2. (CH.1) OUTPUT (TD)
 3. (CH.1) INPUT (RD)
 4. (CH.2) INPUT (DTR)
 5. GND
 6. (CH.2) OUTPUT (DSR)
 7. NA
 8. NA
 9. NA
- DATA RS485 IN/OUT (PORT 4)**
(DB-9 FEMALE)
1. (CH.1) INPUT/OUTPUT +
 2. (CH.1) INPUT/OUTPUT -
 3. (CH.2) INPUT/OUTPUT +
 4. (CH.2) INPUT/OUTPUT -
 5. GND
 6. NA
 7. NA
 8. NA
 9. NA



*V-8 BIT VIDEO
*W-10 BIT VIDEO

- OPTICAL PORT**
- STATUS INDICATORS**
1. RX OPTICAL SIGNAL (GREEN)/ABSENT (RED)
 2. NA
 3. RX CARRIER (GREEN)/ERROR (RED)
- VIDEO OUTPUT (CH.2)**
- STATUS INDICATORS**
1. SYNC PRESENT (GREEN)
 2. VIDEO PRESENT (GREEN)/OVERLOAD (RED)
- VIDEO INPUT (CH.4)**
- STATUS INDICATORS**
1. SYNC PRESENT (GREEN)
 2. VIDEO PRESENT (GREEN)/OVERLOAD (RED)
- STATUS INDICATORS (PORT 3)**
1. (CH.1) DATA INPUT
 2. (CH.1) DATA OUTPUT
 3. (CH.2) DATA INPUT
 4. (CH.2) DATA OUTPUT
 5. NA
 6. NA
 7. NA
 8. NA
- STATUS INDICATORS (PORT 4)**
1. (CH.1) DATA INPUT
 2. (CH.1) DATA OUTPUT
 3. (CH.2) DATA INPUT
 4. (CH.2) DATA OUTPUT
 5. NA
 6. NA
 7. NA
 8. NA