


ST-1W1F/1F-X

PINOUT DIAGRAM



DR1 - (CH.1) DATA OUTPUT
 DR2 - NA
 AR1 - NA
 AR2 - NA
 CR1 - NA
 CR2 - NA
 DT1 - (CH.1) DATA INPUT
 DT2 - NA
 AT1 - NA
 AT2 - NA
 CT1 - NA
 CT2 - NA

OPTICAL PORT (ST, FC)

STATUS INDICATORS

PWR - POWER (GREEN)

DIAG - NA

TX C/L - TX CARRIER (GREEN) / OVERLOAD (RED)

RX C/E - RX CARRIER (GREEN) / ERROR (RED)

VIDEO INPUT

STATUS INDICATORS

SYN - SYNC PRESENT (GREEN)


VID - VIDEO PRESENT (GREEN) / OVERLOAD (RED)

DATA INPUT/OUTPUT

1. (CH.1) DATA INPUT -
2. (CH.1) DATA INPUT +
3. (CH.1) DATA OUTPUT-
4. (CH.1) DATA OUTPUT+
5. GND

SR-1W1F/1F-X

PINOUT DIAGRAM



DR1 - (CH.1) DATA OUTPUT
 DR2 - NA
 AR1 - NA
 AR2 - NA
 CR1 - NA
 CR2 - NA
 DT1 - (CH.1) DATA INPUT
 DT2 - NA
 AT1 - NA
 AT2 - NA
 CT1 - NA
 CT2 - NA

OPTICAL PORT (ST, FC)

STATUS INDICATORS

PWR - POWER (GREEN)

DIAG - NA

TX C/L - TX CARRIER (GREEN) / OVERLOAD (RED)

RX C/E - RX CARRIER (GREEN) / ERROR (RED)

VIDEO OUTPUT

STATUS INDICATORS

SYN - SYNC PRESENT (GREEN)


VID - VIDEO PRESENT (GREEN) / OVERLOAD (RED)

DATA INPUT/OUTPUT

1. (CH.1) DATA INPUT -
2. (CH.1) DATA INPUT +
3. (CH.1) DATA OUTPUT-
4. (CH.1) DATA OUTPUT+
5. GND

SR-1W1F/1F-XD

PINOUT DIAGRAM



STATUS INDICATORS

- DR1 - (CH.1) DATA OUTPUT
- DR2 - NA
- AR1 - NA
- AR2 - NA
- CR1 - NA
- CR2 - NA
- DT1 - (CH.1) DATA INPUT
- DT2 - NA
- AT1 - NA
- AT2 - NA
- CT1 - NA
- CT2 - NA

OPTICAL PORT (ST, FC)

STATUS INDICATORS

- PWR - POWER (GREEN)
- DIAG - GREEN-OK, RED-ALARM
- TX C/L - TX CARRIER (GREEN) / OVERLOAD (RED)
- RX C/E - RX CARRIER (GREEN) / ERROR (RED)

VIDEO OUTPUT

STATUS INDICATORS

- SYN - SYNC PRESENT (GREEN)
- VID - VIDEO PRESENT (GREEN) / OVERLOAD (RED)

DATA INPUT/OUTPUT

1. (CH.1) DATA INPUT -
2. (CH.1) DATA INPUT +
3. (CH.1) DATA OUTPUT-
4. (CH.1) DATA OUTPUT+
5. GND